

Declaration of conformity

According to EN ISO/IEC 17059-1:2010

Number	Manufacturer
2272/08/2020	TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic
Declaration subject	Perforated protective basket TOPWET TWOK BAL
Type	<input type="checkbox"/> TWOK BAL v35 <input type="checkbox"/> TWOK BAL v50 <input type="checkbox"/> TWOK BAL v85 <input type="checkbox"/> TWOK BAL v110
The subject of declaration described above is in conformity with requirements	EN 1253-2:2016 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap

Additional information |

a. Basic technical parameters

1. Height (mm): 35, 50, 85, 110

2. Purpose: protection of balcony outlets, refurbishment outlets and attachments against inbreak of the aggregate

on roofs with an additional loading layer of shingle

3. Material: polyamide PA6

4. Load category: K3 - 300 kg

b. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017

by URS United Registrar of Systems Czech s.r.o.,

PSN House, Argentinská 286/38, 170 00 Praha 7

c. Conformity assessment was executed by internal inspection within the scope of established production management system




.....
Tomáš Kunst | CEO

In Ostrovačice on 01. 03. 2021